# SAFETY DATA SHEET



#### 1. Identification

Product Identifier P.O.G.

Other means of identification

Product code BP-3452

**Recommended use** Paint, oil, and grease remover.

Recommended restrictions Professional use only.

Manufacturer/supplier/distributor/importer information

Company name BonnetPro

Address 4529 Bethlehem Pike

Telford, PA 18969

Telephone (215) 723-5330

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

## 2. Hazard(s) Identification

Physical hazardsFlammable LiquidsCategory 4

Health hazardsAcute toxicity, oralCategory 5Skin irritantCategory 2

Eye damage Category 1
Aspiration Hazard Category 1

Environmental hazards Not classified.

OSHA defined hazards None

**Label elements** 



Signal word Danger.

Hazard statement Combustible liquid.

May be harmful if swallowed.

Causes skin irritation. Causes serious eye irritation.

May be fatal if swallowed and enters airways.

**Precautionary statement** 

**Prevention** Keep away from flames and hot surfaces. No smoking. Wear protective gloves/eye

protection/face protection. Wash hands and exposed skin thoroughly after handling.

**Response** In case of fire: Use water fog, foam or carbon dioxide (CO<sub>2</sub>) to extinguish. Call a POISON

CENTER/doctor/medical professional if you feel unwell. IF ON SKIN: Wash with plenty soap and water for 15 minutes. Specific treatment (see section 4 on the Safety Data Sheet). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor/medical professional. IF SWALLOWED: Immediately call a POISON

 ${\tt CENTER/doctor/medical\ professional.\ Do\ NOT\ induce\ vomiting.}$ 

**Storage** Store in a well-ventilated place. Keep cool. Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

None

Supplemental information

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
Pentyl acetate	628-63-7	30-50
Alcohols, C9-11, ethoxylated	68439-46-3	20-30
C9-C15 Cycloalkanes	Mixture	10-20
C9-C15 Alkanes	Mixture	10-20
2-butoxyethanol	111-76-2	1-10
Other components below reportable levels		1-20

# 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

**Eye contact** Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so.

Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the

Dermatitis. Rash. May cause an allergic skin reaction.

instruction of medical personnel.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical powder, sand, or earth may be used for

small fires only.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable

mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Fire-fighting equipment/instructions

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** Flammable liquid and vapor.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

**Environmental precautions** 

Avoid release to the environment. Avoid discharge into areas not consistent with package labeling.

## 7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components Type Value
2-butoxyethanol PEL 50 ppm

**US ACGIH Threshold Limit Values** 

ComponentsTypeValue2-butoxyethanolSTEL20 ppm

#### **Biological limit values**

**ACGIH Biological Exposure Indices** 

ComponentsValueDeterminantSpeciesSampling Time2-butoxyethanol200 mg/gCreatinineUrineEnd of shift.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using do not smoke or use chewing tobacco. Always observe good personal hygiene considerations

measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

**Appearance** 

**Physical State** Clear liquid. Color Light yellow. Odor Characteristic. Odor threshold Not available. рΗ Not applicable. Melting/freezing point Not available.

Initial boiling point and

300-410°F (148.9-210°C) estimated.

boiling range

150°F (66°C) estimated. Flash point

**Evaporation rate** Not available. **Flammability** Not available.

**Flammability Limits** 

Upper 6% estimated. 0.8% estimated. Lower Vapor pressure Not available. Vapor density Not available.

Specific gravity (water=1) 0.90 Solubility in water Insoluble. Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity Not available.

### 10. Stability and reactivity

Reactivity This product is stable and non-reactive under normal conditions of use. **Chemical stability** Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Oxidizing agents, acids.

**Hazardous decomposition** 

products

Carbon dioxide, carbon monoxide.

# 11. Toxicological information

# Information on likely routes of exposure

Ingestion Expected to be low ingestion hazard. **Inhalation** Prolonged inhalation may be harmful.

Skin contact May cause skin irritation.

Eye contact Causes serious eye damage. Wear eye/face protection.

Material Name: P.O.G.

Symptoms related to the

Dermatitis, Rash.

physical, chemical and toxicological characteristics

**Acute toxicity** May be harmful if swallowed.

Product	Route and Species	LD <sub>50</sub>
P.O.G. (CAS mixture)		
Acute	Oral, rat	2,500 mg/kg estimated

<sup>\*</sup>Estimates for product may be based on additional component data not shown

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/

Causes serious eye damage.

irritation

Respiratory sensitization Not available. Skin sensitization Not available.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not expected to be a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not Listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

Not classified.

- single exposure

Specific target organ toxicity

Not classified.

- repeated exposure

**Aspiration hazard** May be harmful or fatal if product enters airways.

### 12. Ecological information

#### **Ecotoxicity**

Product	Species	Test Results
P.O.G. (CAS mixture)		
Aquatic		
Fish	Fathead minnow	LC <sub>50</sub> = 23 mg/L estimated
Crustacea	Daphnia Magna	EC <sub>50</sub> = 14 mg/L estimated

<sup>\*</sup>Estimates for product may be based on additional component data not shown

Persistence and degradability No data available.

**Bioaccumulative potential** Potential to bioaccumulation is expected to be low.

Mobility in soil No data available.

Other adverse effects Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see:

Disposal instructions).

#### Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings even

after container is emptied.

## 14. Transport information

DOT

Not regulated as dangerous goods.

# 15. Regulatory information

**US federal regulations** 

SARA 302 Extremely hazardous substance

Not listed.

SARA 304 Emergency release notification

Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting)

2-butoxyethanol (Glycol Ether Category)

## 16. Other information, including date of preparation or last revision

Issue date 1/6/2016 **Revision date** 1/6/2016

Version #

HMIS® ratings Health: 2

> Flammability: 2 Physical hazard: 0

Health: 2 NFPA ratings

> Flammability: 2 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

> and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by

the text.

**Revision information** First issue