

1. Identification

Product Identifier	Oxy-All	
Other means of identification		
Product code	BP-7260	
Recommended use	Color safe bleach.	
Recommended restrictions	None known.	
Distributor information		
Company name	BonnetPro	
Address	4529 Bethlehem Pike	
	Telford, PA 18969	
Telephone	(215) 723-5330	
Emergency phone number	PERS	(800) 633-8253
	24-hour Emergency	(800) 633-8253

2. Hazard(s) Identification

Physical hazards	Oxidizing liquids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion	Category 2
	Serious eye damage	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	None.	

Label elements



Signal word	DANGER
Hazard statement	May intensify fire; oxidizer. May be harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary statement	
Prevention	Keep away from heat. Keep/Store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dusts or mists. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	 In case of fire: Use dry sand, dry chemical, or alcohol-resistant foam for extinction. Call a POISON CENTER/doctor/medical professional if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor/medical professional. Specific treatment (see supplemental first aid section on this label) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
Storage	Store locked up. Store away from flammable/combustible materials



Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
Hydrogen peroxide	7722-84-1	10-15
Other components below reportable levels		85-90

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and warm water for at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Immediately call a physician or transport to hospital.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting.
Most important symptoms/effects, acute and delayed	Can cause serious eye damage. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent contact.
Indication of immediate medical attention and special treatment needed	Provide widespread support measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Wash contaminated clothing before reuse. Use with caution.

5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemical powder. Carbon dioxide (CO ₂). Dry sand.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread a liquid-fueled fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed. Oxidizing liquid. May increase intensity of fire through the addition of oxygen
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk. Do not attempt to move containers that are distorted or audibly off-gassing
Specific methods General fire hazards	Use standard firefighting procedures and consider the hazards of other involved materials. May increase fire intensity through additional oxygen.

6. Accidental release measures

Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep
protective equipment, and	out of low areas. Wear appropriate protective equipment and clothing during clean-up.



emergency procedures	Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water and will cause/contribute to combustion of organic materials. Large spills: Stop the flow of material if this is without risk. Isolate the spilled materials from any combustible materials, if possible. Dike the spilled material with an inorganic sorbent (clay, vermiculite, Spill-X), where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements, or confined areas. Following product recovery, flush area with water. Small spills: Wipe up with absorbent material (e.g., polypropylene cloth, or synthetic textile). Clean surface thoroughly to remove residual contamination. Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the general environment. Avoid discharge into areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any	Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS). Sore in temperatures below 100°F to avoid excessive degradation of
incompatibilities	the peroxide component.

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for	Air Contaminants (29 CFR 1910.10	000)
Components	Туре	Value
Hydrogen Peroxide	PEL	1 ppm
US ACGIH Threshold Limit Va	lues	
Components	Туре	Value
Hydrogen Peroxide	TWA	1 ppm

Biological limit values

ACGIH Biological Exposure Indices	ACGIH Biological	Exposure	Indices
-----------------------------------	-------------------------	----------	---------

No data available.

Appropriate engineering	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation
controls	rates should be matched to conditions. If applicable, use process enclosures, local exhaust
	ventilation, or other engineering controls to maintain airborne levels to an acceptable
	level. It is recommended that users of this product perform a risk assessment to determine
	the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	



Hand protection	Wear appropriate chemical resistant gloves (nitrile, PVC and neoprene are recommended)	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after managing the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.	

9. Physical and chemical properties

Appearance

Physical State	Liquid.
Color	Colorless.
Odor	Characteristic.
Odor threshold	Not available.
рН	3-4
Melting/freezing point	17.6°F (-8°C) estimated.
Initial boiling point and	215.6°F (102°C).
boiling range	
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.04
Solubility in water	Complete.
Partition coefficient	Not applicable
(n-octanol/water)	
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.	
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.	
Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	Material decomposes with the potential to produce a rupture of unvented closed containers. Avoid storing in excessive heat or sunlight.	
Incompatible materials	Metals, organic materials, strong reducing agents, strong bases.	



Hazardous decomposition	No hazardous decomposition products occur. Oxygen can be liberated at temperat	
products	above ambient.	

11. Toxicological information

Ingestion	Do not ingest. May be harmful if swallowed.	
Inhalation	Do not inhale. May irritate the upper respiratory tract.	
Skin contact	Can cause severe skin burns.	
Eye contact	Can cause serious eye damage.	
Symptoms related to the	Severe skin burns, serious eye damage. Can temporarily turn skin white with prolonged	
physical, chemical, and	contact.	
toxicological characteristics		
Acute toxicity	May be harmful if swallowed.	

Product - Oxy-All (CAS mixture)			
Hazard Classification	Route and Species	LD ₅₀	
Acute	Oral, rat	3,470 mg/kg estimated.	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritation	Can cause severe skin burns.	
Serious eye damage/ irritation	Can cause serious eye damage.	
Respiratory sensitization	Not considered a respiratory sensitizer.	
Skin sensitization	Not considered a skin sensitizer.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not considered a carcinogen.	
OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1050) Not Listed.	
Reproductive toxicity	No data available.	
Specific target organ toxicity – single exposure	May irritate the upper respiratory tract with prolonged inhalation.	
Specific target organ toxicity – repeated exposure	No data available.	
Aspiration hazard	No data available.	

12. Ecological information

Ecotoxicity			
Product Oxy-All (CAS mixture)			
Aquatic	Species	Test Results	
Crustacea	Daphnia magna	EC_{50} = 22 mg/L estimated.	
Fish	Fathead minnow	LD ₅₀ = 68 mg/L estimated.	
*Estimates for product may be based on additional component data not shown			

Persistence and degradability

Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation processes and decomposes into water and oxygen. Hydrogen peroxide half-life in



SAFETY DATA SHEET

	freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from
	minutes to hours depending upon microbiological activity and metal contamination.
Bio-accumulative potential	Expected to be low, will degrade chemically before biological accumulation can occur.
Mobility in soil	Will be mobile in the environment but will degrade quickly over time.
Other adverse effects	None.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer, and the waste disposal company.
Waste from residues/unused product	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (See: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

bol	
UN number	UN2984
UN proper shipping name	Hydrogen peroxide, aqueous solutions
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packaging group	III
Marine pollutant	No
Special precautions for user	Read safety instructions, SDS, and emergency procedures before handling.
Transport in bulk according	Not intended to be transported in bulk.
to Annex II of MARPOL	
73/78 and the IBC Code	
DOT Label/Placard	



15. Regulatory information

US federal regulations



SARA 302 Extrem	nely hazardous substance Not listed.	
SARA 304 Emerg	ency release notification Not listed.	
SARA 311/312 Ha	azard Categories	
	Immediate Hazard - Yes	
	Delayed Hazard – No	
	Fire Hazard – No	
	Pressure Hazard – No	
	Reactivity Hazard – No	
SARA 313 (TRI reporting)		
	Not listed.	
California	California Safe Drinking Water and Toxic Enforcement Act of 1986	
Proposition 65	This product is not known to contain any chemicals currently listed as carcinogens or reproductive	
	toxins under California Proposition 65 at levels which would be subject to threshold determination	
	and Safe Harbor notification (3/2022)	

16. Other information, including date of preparation or last revision

Issue date	4/14/2022
Revision date	
Version #	1
HMIS [®] ratings	Health: 3
	Flammability: 0
	Physical hazard: 1
	HEALTH 3
	REACTIVITY 1
	PERSONAL PROTECTION
NFPA ratings	Health: 3
	Flammability: 0
	Instability: 1
	ναχγ
	\checkmark
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge
	and have been obtained from resources believed to be reliable. The information given is
	designed only as a guidance for safe handling, use, processing, storage, transportation,
	disposal, and release and is not to be considered a warranty or quality specification. The
	information related only to the specific material designated and may not be valid for such
	material used in combination with any other materials or in any process, unless specified
	by the text.
Revision information	First issue.